

Alexandra Bridge Replacement Performance Criteria for Bridge Design

July 2022



NATIONAL CAPITAL COMMISSION
COMMISSION DE LA CAPITALE NATIONALE

Canada



Prepared for the National Capital Commission by DTAH
www.dtah.com

July 2022

Email: info@ncc-ccn.ca | Fax: 613-239-5063
Telephone: 613-239-5000 | Toll-free: 1-800-465-1867
TTY: 613-239-5090 | Toll-free TTY: 1-866-661-3530



2 Purpose

4 1.0 Urban Design Framework

- 5 1.1 Heritage, Archaeology & Cultural Landscape
- 6 1.2 Indigenous Culture
- 7 1.3 Confederation Boulevard
- 8 1.4 Natural Environment
- 9 1.5 Climate & Microclimate

10 2.0 Public Space

- 11 2.1 Mobility
- 12 2.2 Public Space & User Experience
- 14 2.3 Shoreline Connectivity
- 15 2.4 Universal Accessibility & Inclusivity

16 3.0 Bridge Expression

- 17 3.1 General Arrangement
- 19 3.2 Visual Form & Image
- 20 3.3 Design Excellence
- 22 3.4 Materials & Finishes
- 23 3.5 Lighting

24 4.0 Views & Visual Experience

- 25 4.1 Views Protection
- 26 4.2 Views towards the Bridge
- 29 4.3 Spatial Sequence

30 5.0 Other NCC Standards & Requirements

33 Appendix A—Selected Viewpoints

57 Appendix B—Guidance Statements

83 Appendix C—Criteria Checklist

Purpose

This document articulates the NCC planning and design requirements and expectations associated with the Alexandra Bridge Replacement Project in the form of performance criteria. Any new bridge design put forward for Federal Approval under section 12 of the National Capital Act will be assessed by the NCC against these criteria and other factors, such as the input received through public consultation and Indigenous and stakeholder engagement. A design proposal must, at minimum, meet the requirements of the performance criteria to be recommended to the NCC Board of Directors for approval.

The purpose of this document is to guide the Proponent (Public Services and Procurement Canada/National Capital Commission Integrated Project Team (PSPC/NCC IPT)) throughout the design and decision-making process by providing transparency and predictability of NCC expectations for a successful Federal Approval.

The performance criteria summarize the NCC's Capital Interests that apply to the project, consistent with the NCC's mandate, plans, policies, guidelines and the Alexandra Bridge Planning and Design Principles approved by the NCC Board of Directors in June 2021. This document applies specifically to the Alexandra Bridge Replacement Project and does not supersede the NCC Federal Approvals requirements.

The criteria are to be read by the Proponent including their consultants and contractors in conjunction with all applicable federal, provincial, and municipal plans and regulations as well as project-specific studies, field investigations, and analyses. It is also expected that the Proponent will undertake public, stakeholder and Indigenous engagement and demonstrate that input from these parties and project partners was considered in the design of the new bridge.

While the performance criteria do not prescribe design methodology, architectural style or engineering solutions, the Proponent must develop design concepts that:

- Meet these criteria;
- Range from a reinterpretation of the historic bridge design to a totally contemporary modern structure; and
- Demonstrate design excellence through the implementation of best practices to generate **an appropriate and responsive design** for the replacement of this asset of national historic importance in this prominent location.

It is therefore strongly recommended that these criteria be included in the Proponent's procurement documents for design services.



Source: Jeffrey Eisen




1.0 Urban Design Framework

Alexandra Bridge is situated in a unique cultural, archaeological, recreational, and interprovincial urban setting within a rich heritage context of high significance. It is bookended by two of the most important cultural institutions in the National Capital, the Canadian Museum of History, and the National Gallery of Canada. The bridge is located approximately 250m from the Rideau Canal locks, a UNESCO World Heritage site, and Parliament Hill. It also sits next to several iconic open spaces of the National Capital Region including Nepean Point, Major Hill's Park and Jacques-Cartier Park, the latter annually hosting the Capital's "Winterlude" winter festival.

Mission Statement

"To create a sustainable interprovincial transportation connection that will prioritize active mobility and highlight the symbolic importance of the site to all Canadians for many generations to come."

Source: Alexandra Bridge Replacement Planning & Design Principles



1.1 Heritage, Archaeology & Cultural Landscape

UD1. The new bridge design shall build upon the existing bridge's legacy by achieving its own distinctive stature, realized in a way that is sensitive to the unique heritage context of the Ottawa River Corridor Cultural Landscape.

UD1a. Preserve the visual integrity of the Cultural Landscape through a cohesive integration of the new bridge into the existing and evolving urban and natural environmental context. The size, scale and design expression of new bridge features shall be sympathetic to and compatible with the heritage context.



UD1b. The new bridge design shall recognize its role as one of the bridge "bookends" of the Central Capital Landscape and contribute positively to the overall visual and symbolic composition.

UD1c. The new bridge design shall consider and incorporate where feasible for elements beyond the primary bridge structure, the re-use of stone, steel, and other materials salvaged from the existing structure's demolition.


UD1d. Integrate bridge approaches with the landscape along the shorelines to maintain the topography and natural quality of the Ottawa River corridor and improve the visual prominence of these features.

UD1e. Protect and conserve archaeological resources on federal lands in the project area, either in situ or as a record, in accordance with the Protocol for the Co-management of Archaeological Resources (2017) between the NCC, the Kitigan Zibi Anishinabeg and the Algonquins of Pikwakanagan First Nation.

UD1f. Archaeological resources occurring on provincial lands shall be managed in accordance with applicable provincial legislation.



*Historical images of
Alexandra Bridge.
Source: NCC*



*Source: The Engineering
Record, Building Record and
Sanitary Engineer - Volume
44 - 1901*

1.2 Indigenous Culture

UD2. The new bridge design shall acknowledge and integrate Indigenous culture and traditional knowledge in an appropriate and meaningful way.

UD2a. Indigenous traditional knowledge and Algonquin Anishinabeg perspectives, values, and culture shall be appropriately integrated into the design, informed by ongoing engagement between the PSPC/NCC Integrated Project Team and the project's Indigenous Partners.

Red moose statue by indigenous artist Simon Brascoupe at Pimisi LRT station, Ottawa.
Source: NCC



The chrome eel at the Pimisi LRT station in Ottawa.
Created by indigenous artist Nadia Myre.
Source: NCC



1.3 Confederation Boulevard

UD3. As an important component of Confederation Boulevard’s Ceremonial Route, the new bridge design shall reinforce the physical and symbolic continuity of the route, providing a cohesive connection between the City of Ottawa and the City of Gatineau as a unifying feature of the Capital Core Area to create a singular Capital identity.

UD3a. Comply with the Confederation Boulevard guiding principles:

- **A Memorable Image:** Confederation Boulevard projects an image that is dignified, unique and lasting, and that is reflective of Canadian values, heritage, and achievements.
- **A Vibrant Public Space:** Confederation Boulevard is a vibrant public place that presents Canadians with a range of opportunities for enhanced community, intellectual and emotional experience.
- **Pedestrians First:** Confederation Boulevard gives first priority to the comfort, safety and enjoyment of pedestrians, and then to the accommodation of cyclists, public transit and other vehicles.
- **Universal Accessibility:** Confederation Boulevard is accessible to all persons and shall extend accessibility to those beyond the National Capital through a range of communication media.
- **Sustainability:** Confederation Boulevard is a demonstration of the NCC’s leadership in environmental sustainability and stewardship.


UD3b. In keeping with the principle of a “Grand Esplanade”, provide a generous and relatively open pedestrian link that offers framed and unobstructed views to the national symbols, the natural landscape, and the Ottawa River, and a sense of grandeur commensurate with the importance of the national symbols and landscapes.

UD3c. Streetscape elements shall be carefully considered and designed to integrate with both the new bridge expression and the Confederation Boulevard palette, using high quality noble materials, finishes, furnishings and an appropriate colour palette to achieve an overall cohesive visual effect befitting of the Grand Esplanade.

UD3d. Make appropriate space provision for a visually prominent node at the intersection of Laurier Street and des Allumettières Boulevard, to enable future installation of gateway features, such as a major commemoration of national importance.



Source: Confederation Boulevard Guidelines, Management and Stewardship of Our Capital Legacy



Source: Capital Pathway Strategic Plan

1.4 Natural Environment

UD4. The new bridge design shall showcase exemplary environmental conservation and mitigate potential negative impacts and threats, in order to avoid damage to vulnerable aspects of the river ecosystem, habitats and living organisms.

UD4a. Maximize preservation of the Ottawa River corridor's iconic, lush green shoreline landscape between the mouth of Brewery Creek (to the north) and the Rideau Canal Locks.

UD4b. Detailed fish, wildlife, and vegetation inventories, as well as habitat identification and assessment, shall inform the design and construction of the new crossing.

UD4c. New landscape improvements shall use only native, non-invasive vegetation appropriate to the proposed location.



*Aerial map of Alexandra
Bridge between Ottawa and
Gatineau.
Source: GeoOttawa*

1.5 Climate & Microclimate

UD5. The bridge design shall be appropriate to the local climate of the Ottawa River Valley and resilient to the anticipated impacts of future climate change and extreme weather events.

UD5a. The bridge shall be designed to last at least 125 years. Selection of materials and finish treatments shall be based on the anticipated degradation and weathering resulting from local climatic conditions, and allow for straightforward maintenance, replacement, repairs and upgrades (as necessary) throughout the new bridge's service life.

UD5b. The bridge shall be built to withstand 100-year storm events as a minimum, protecting both the bridge structure and bridge users.

UD5c. Bridge design shall consider structural health monitoring, operational requirements for stormwater, snow storage and removal, impacts on river water quality and shoreline erosion during storm events, as well as visual impacts pertaining to the above.

UD5d. Bridge design shall incorporate sustainable and climate-friendly solutions that reduce the embodied carbon in the structure as well as operational carbon associated with use and maintenance of the infrastructure.

UD5e. The new bridge design shall incorporate measures to moderate the extremes of microclimate for pedestrians and cyclists to increase user comfort despite climate extremes.




*Alexandra Bridge being used during winter months.
Source: NCC*



2.0 Public Space

The new bridge will need to function as both part of the core area sector transportation network and as a dynamic public space in its own right. The bridge needs to accommodate a multitude of uses, both in motion and stationary, including utilitarian travel, recreation and tourist travel, sightseeing, and resting. At special celebratory times, the bridge may also function as an urban gathering place.



2.1 Mobility

PS1. Provide a functional design configuration for the bridge and its approaches that improves mobility and safety while prioritizing active modes, and allows for future conversion of the vehicular lanes to a dedicated light rail or tram transit system.

PS1a. Provide dedicated active mobility space for cyclists and pedestrians on the upstream side of the bridge.

PS1b. In order to prioritize the convenience, safety, and enjoyment of active pedestrians, provide a continuous, open and direct pedestrian through-route as part of the public space zone, free of obstructing elements, located upstream of and clearly separated from the cycleway.

PS1c. Provide a continuous bi-directional year-round cycleway to accommodate all types of cyclists, located downstream of the pedestrian space. Incorporate appropriate safety buffers between the cycleway and the vehicular lanes to ensure comfort and safety of active users.

PS1d. Provide two roadway lanes (one for each direction of travel) on the downstream side of the bridge, suitable for a mix of transportation modes (such as cars, buses, tram, or light-rail train system), with appropriate traffic calming measures to promote slower vehicle speeds crossing the bridge, and built-in adaptability for future potential conversion from private vehicular traffic to a transit-only configuration.


PS1e. Accommodate a reconfiguration of the Laurier/Allumettières intersection to provide dedicated space for pedestrians and cyclists and improve the safety of all users, in consultation with the Ville de Gatineau and the Province of Quebec.

“The new bridge must continue to serve as a vital link between communities, as a public space to move-through and go-to.”

Source: Alexandra Bridge Replacement Planning & Design Principles



Example of separated pedway and cycleway on bridge.



Illustrative functional section.

Source: Alexandra Bridge Replacement Planning & Design Principles

“Alexandra Bridge offers a unique platform from which residents, tourists and visitors can stop and take in views of emblematic and symbolic elements, and to ponder while observing the national treasures of the Capital and panoramic views of the River. Seasonal celebrations held in the core area bring individuals together and invite the sharing of the space as a place of gathering. Accommodating and supporting active uses during year-round special events, whether it be for the Capital’s Winterlude Festival or Canada Day celebrations, must be considered in the design of the new bridge.”

Source: Alexandra Bridge Replacement Planning & Design Principles

2.2 Public Space & User Experience

PS2. The new bridge design shall provide vibrant, high quality public space to accommodate a wide range of active and passive uses, ensuring amenity, convenience, and comfort for all users, especially pedestrians.



PS2a. Provide generous and attractive public space, amenities, and furnishings to accommodate a multitude of uses including sightseeing, strolling, sitting, and resting in order to enhance the user experience of the new bridge crossing and panoramic views of the Ottawa River, National Symbols, Central Capital Area and the Gatineau Hills. The public space zone shall include at a minimum:

- Viewing areas/lookouts located and configured to optimize views to the National Symbols;
- Plentiful places to sit and rest or view special events during festivals and National Holidays, suitable for all ages and abilities; located so as not to impede the movement of active pedestrians and cyclists crossing the bridge, with some locations providing appropriate shelter from the elements;
- Space provision for interpretive elements;
- Connections through to the cycleway at appropriate intervals.

PS2b. Consider and integrate supplementary design elements, such as interpretive panels or public art that respond to the local or historic context, to provide additional visual interest, richness, and enjoyment to the pedestrians’ experience.

PS2c. Provide seamlessly integrated above-deck infrastructure to support various types of high-quality signage on the new bridge (site identification, wayfinding, operational, regulatory, interpretive) as well as seasonal decoration, carefully located to avoid interfering with the path of travel of pedestrians and cyclists; to be developed through an integrated design approach with NCC.

PS2d. Ensure an impressive and enjoyable experience for boat users on the Ottawa River, heading towards and passing under the bridge.



2.3 Shoreline Connectivity

PS3. The approaches at the ends of the new bridge shall provide enhanced connectivity for pedestrians and cyclists to pathway networks and shoreline amenities.

PS3a. New connections to existing pathways shall be direct, visible, safe, and usable throughout the year.

PS3b. The design and location of the north bridge abutment shall allow for a continuous, high-quality multi-use pathway along the north shore, segregated from the museum service vehicle access, that offers an inviting and comfortable user experience under the bridge.

PS3c. The design and location of the south bridge abutment shall allow for a continuous, high-quality multi-use pathway along the south shore, consistent with the NCC's vision for a long-term Waterfront Promenade between the Rideau Canal Locks and Rideau Falls.

PS3d. New and re-established pathway connections to and along the river shorelines shall incorporate landscape designs that are well integrated with their surroundings and enhance visual and/or physical access to the river.



Rideau Locks and Alexandra Bridge.

Source: Fotenn Planning and Design

2.4 Universal Accessibility & Inclusivity

PS4. The new bridge and its approaches shall be universally accessible, with special attention paid to ensure all users feel welcomed, comfortable, and safe, and able to engage with the public spaces dedicated to pedestrians and active mobility.

PS4a. Provide universal access throughout public space areas on the bridge, the approaches, and adjoining pathways that connect directly to the bridge deck level.

PS4b. Implement as a minimum the recommendations of the Best Practices Guide to the Accessible Design of the National Capital Commission's Outdoor Spaces, as well as the latest requirements of the Accessible Canada Act and any applicable regulations.





3.0 Bridge Expression

The existing Alexandra Bridge is an iconic landmark, a recognizable feature of the Capital’s landscape with a unique silhouette that differentiates it from the other four interprovincial bridges (Champlain Bridge, Chaudières Bridge, Portage Bridge and MacDonald-Cartier Bridge). Its trussed profile and cantilevered structure make it a memorable landmark of the National Capital Region since its construction.

The new bridge shall be a signature bridge that responds to its heritage and environmental context. It should be sensitively inserted into this landscape of national significance. Its architectural, structural, and urban character should strongly represent the identity of “place” and the values of the country, cities, and communities it serves, providing a meaningful legacy to future generations.

“The public consultation feedback highlighted aspects of the current Alexandra Bridge that set it apart with a distinct character. Comments included:

- its uniqueness;
- the history and heritage it evokes;
- the appearance and character of the bridge;
- its wooden boardwalk, and its separation from the roadway;
- the sight, smell, sound and feel of the boardwalk that provides unique experiences to pedestrians and cyclists, albeit also recognized as needing improvement to provide a more even surface.

Together, these elements contribute to the creation of a sense of place that enriches the overall users’ memorable experience of the current bridge.”


Source: Alexandra Bridge Replacement Planning & Design Principles

PEACE TOWER

SUPREME COURT

NEPEAN POINT

OTTAWA



3.1 General Arrangement


BE1. The general arrangement of the new bridge shall present a clear and logical design response to structural type, plan alignment, vertical profile, cross section configuration, pier locations, navigation requirements and other specific technical aspects.

BE1a. Plan Configuration; the new bridge shall connect to the north and south shorelines in substantially the same plan locations as the existing, allowing for minor realignment to optimize integration with the adjoining road networks, with a predominantly linear alignment between these two points; if curved configurations are incorporated, they shall be subtle and gradual so as not to provide a strong visual distraction within the setting, or significantly obstruct existing views to the national symbols from the new bridge.

BE1b. Elevation; the new bridge shall connect to the north and south approaches at the same elevation levels as the existing; the required upward slope from the Gatineau abutment to the main deck level shall be no greater than 4% in order to allow for universal access as well as a feasible transition for future transit vehicles.

BE1c. Cross Section; the bridge cross-section shall provide 2 vehicle lanes of 3.5m width (to be confirmed) with 1.2m shoulders on each side; 3.0m minimum width bi-directional cycleway, with 0.3m minimum buffer distance on both sides to any fixed object or furnishing; 4.0m minimum width continuous direct pedestrian through-route as part of the public space zone, with 0.3m minimum buffer distance on both sides to any fixed object or furnishing, widening out to provide an additional 3.0m minimum width at key viewing areas/lookouts/gathering spaces within the public space zone.

BE1d. A navigation channel of 90m wide by 11m high (preliminary dimensions, to be confirmed), measured from the high-water mark, shall be provided mid-river below the new bridge, in order to maintain the navigability of the river.



“In crossing the Alexandra Bridge from Gatineau to Ottawa, there is a notable elevation change reflective of the natural topographical setting of the Ottawa River corridor. From Gatineau, the existing bridge’s profile begins at an approximate elevation of 53 metres, rising at a 5% slope before flattening and continuing over the Ottawa River at an elevation of approximately 59 metres, before rising again at an approximate 4% slope to reach the general street elevation of 65 metres along St. Patrick Street near Sussex Drive in Ottawa.”

Source: Alexandra Bridge Replacement Planning & Design Principles



3.2 Visual Form & Image

BE2. The new bridge shall achieve a unique signature design that fits within, and enhances, the built and natural heritage setting of the Capital's Core Area, now and into the future.

BE2a. Building on and continuing the legacy of our national icons, the bridge shall work as a foreground and a background, a sculpture and a setting to experience the Nation's Capital, and shall itself become an impressive and meaningful new landmark in the future.

BE2b. The design shall be compelling and meaningful for, and resonate with, Indigenous and non-Indigenous Canadians. It shall avoid a ubiquitous "signature" expression that could be found in many other locations globally.

BE2c. The new bridge design shall respond distinctively to "this place", evoking the memory and character of the existing heritage bridge and context in an appropriate manner: it should include elements that achieve a unique silhouette and visual permeability at a distance, with sufficient aesthetic interest and complexity to avoid a monotonous above-deck effect. The height, location, quantity, visual complexity, and rhythm of these elements should create an overall composition that is interesting and pleasing to the eye, and that resonates with the character and proportions of the surrounding built and natural landscapes.

BE2d. The overall bridge structure should appear to be "in scale" with its surroundings: the height and proportions of above-deck elements shall be visually cohesive with and complementary to the adjoining landscape and national symbols.

BE2e. The bridge design should be impressive and awe-inspiring when viewed up close; it should seek to evoke a sense of delight, wonder and pride from users and onlookers, especially those taking the time to fully appreciate the crossing and viewing experience.

"The Alexandra Bridge replacement will be an emblematic bridge in the form of an exceptional civic site that reflects Canada's national identity and values, while respecting the integrity of the cultural landscape of the Capital."

Source: Alexandra Bridge Replacement Planning & Design Principles



3.3 Design Excellence

BE3. The architectural and structural design of the new bridge shall aim at the highest industry standard levels of design excellence and visual quality.

BE3a. The bridge, above deck and below deck, shall demonstrate excellence and integrity in design, materials, detailing and construction workmanship, appropriate to such a prominent and important new built intervention in a National Capital.



BE3b. Architectural and structural expression and detailing should achieve an enduring “timeless” quality that will age gracefully and still be perceived as symbolic, meaningful, and aesthetically pleasing in 100 years’ time.

BE3c. Details of bridge components shall follow naturally and consistently from the overall design philosophy, the structural system and construction methodology. Detailing shall exhibit clean-lined, well-resolved transitions between elements and at junctions of different materials; connectors shall be of high-quality durable material suitable for the application.

BE3d. Secondary elements such as utility, conduit, and drainage systems; sign structures, traffic management and potential future transit infrastructure; spaces, systems, and technology required for maintenance and monitoring; channel navigational and aeronautical lights shall be well integrated into the bridge architecture in order to minimize adverse visual impacts. Linear runs of conduit and piping should be clustered together in a compact arrangement tight to the underside of deck, as far inboard as possible to be in the deck shadow. Visible pipe clusters shall be covered with architectural metal cladding that allows for maintenance access.

BE3e. Crash-tested barriers framing vehicle space should be of minimal design that seek to minimize height, maximize views through, and convey a sense of visual lightness.

BE3f. Abutments and retaining wall systems at bridge approaches shall minimize large extents of smooth concrete and incorporate surface finish patterns/textures that are visually cohesive with the overall architectural aesthetic, discourage graffiti, and stay looking good over time.




3.4 Materials & Finishes

BE4. The new bridge design shall incorporate high quality materials and finishes that showcase leading-edge technology and resonate with the palette established for Confederation Boulevard and the built heritage of the Nation's capital.

BE4a. Honour the rich legacy of the Capital through an appropriate and carefully considered palette of materials, finishes, textures, patterns, tactile qualities, colours, and tones that will be layered by the new bridge design onto the Central Capital Landscape and enhance the everyday close-up user experience.

BE4b. Utilize traditional materials such as granite, copper, steel, and wood, as well as appropriate contemporary materials including stainless steel and aluminum, with textures and finishes that will age well, based on careful consideration of Ottawa's heritage tradition, the Confederation Boulevard palette, as well as durability, sustainability, innovation, and maintenance characteristics.



3.5 Lighting

BE5. The new bridge design shall provide a high-quality lighting scheme that responds appropriately to the site and surrounding context and allows the crossing to be used and enjoyed by people at all hours throughout the year.

BE5a. Through a sensitively designed lighting scheme, the bridge shall combine a continuation of the Confederation Boulevard “string of pearls” concept with architectural lighting that highlights the bridge structure itself, creating a nightly streetscape that is subtle and respectful of the place, while ensuring that the bridge will not compromise the visual primacy of the buildings that compose the National Capital’s core landscape.

BE5b. Bridge lighting, including luminaires, supporting poles/brackets and associated infrastructure, shall be aesthetically minimal, clean-lined, and elegant, discreetly concealed whenever possible and visually integrated into the overall bridge design aesthetic.

BE5c. Light fixtures shall utilize state-of-the-art LED technology, selected with consideration for durability, energy efficiency, longevity, proven performance, and low maintenance.



Source: Capital Illumination
Plan



4.0 Views & Visual Experience

New bridge designs shall meet three principal qualitative visual standards: (1) the protection and enhancement of views of the National Symbols from the bridge and key points on the adjacent shorelines; (2) the quality and appropriateness of the bridge's contribution to the larger river-related Central Capital landscape; and (3) appropriateness of the bridge's contribution to the spatial sequence and the tactile material design quality of Confederation Boulevard.



4.1 Views Protection

VA1. The new bridge design shall preserve the visual integrity and symbolic primacy of the Parliament Buildings and other National Symbols, when viewed from the bridge, in accordance with Canada’s Capital Views Protection (2007) document.

VA1a. The new bridge design shall preserve a view of Centre Block from the approximate location of “Control Viewpoint” #6, so as to provide a clear reading of the silhouette of Centre Block without the intrusion of background buildings.

VA1b. Preserve the integrity and quality of viewsheds towards the primary subjects (Centre Block and Supreme Court) from the public space zone of the new bridge at the approximate locations of Key Viewpoints #5, #6, #7 and #8, considered as a sequence of evolving views. The views of the parliamentary Triad and the Supreme Court to be protected are considered to include both the buildings and their natural setting, including the escarpment, the river, and its shoreline.

VA1c. Minimize the quantity and extent of visual intrusions in the foreground of these protected views from a pedestrian’s perspective on the bridge.



*Parliament Hill.
Source: Shubham Sharan*



*Nepean Point.
Source: Ross Dunn*


4.2 Views towards the Bridge

VA2. The new bridge design shall be visually integrated within the Central Capital Landscape and enable exceptional views of the natural features and National Symbols in the area.

VA2a. Views of the Central Capital Landscape from the following viewpoints shall retain the core elements and qualities identified in Appendix A for each viewpoint listed below. Where possible, the new bridge shall improve upon the views by enhancing the existing visual qualities or providing new sightlines towards National Symbols, key landscape features or new views of the bridge structure itself. Key opportunities for improvement are identified in Appendix A.

- **Viewpoint A:** On the Observation Deck/Belvedere at the South end of the Bridge.
- **Viewpoint B:** On the Nepean Point lookout.
- **Viewpoint NB:** On the new pedestrian bridge leading to Nepean Point.
- **Viewpoint C:** On Walkway at foot of the Rideau Canal Locks.
- **Viewpoint L:** On Confederation Boulevard at Sappers Bridge.
- **Viewpoint PH:** On Parliament Hill adjacent to Baldwin/Lafontaine Commemoration.
- **Viewpoint D:** On the riverside Recreational Trail below the Supreme Court escarpment.
- **Viewpoint K:** On Voyageurs Trail below the Museum of Canadian History.
- **Viewpoint Q:** On the eastern tip of Victoria Island.
- **Viewpoint H:** On the Ottawa River close to Hull Marina.
- **Viewpoint J:** On Voyageurs Trail 50m east of the Bridge.
- **Viewpoint N:** On the Riverbank in Parc Jacques Cartier.
- **Viewpoint I:** From proposed elevated event space in Parc Jacques Cartier.
- **Viewpoint M:** On Lady Grey Drive.
- **Viewpoint O:** On a boat mid-river on the up-stream side of the Bridge.
- **Viewpoint X:** On the west-side pedestrian/cycle deck of the Macdonald Cartier Bridge.

Refer to “Appendix A—Selected Viewpoints” for descriptions, photos (of the view and sometimes of the setting) as well as preliminary NCC GIS model views for each of the above viewpoints.



Map of viewpoints to and from Alexandra Bridge.



Source: Fotenn Planning and Design

*Alexandra Bridge as a
backdrop for Winterlude
festival.*
*Source: Fotenn Planning and
Design*




*Source: Alexandra Bridge
Replacement Program and
Design Guidelines*


4.3 Spatial Sequence

VA3. The new bridge shall be designed to contribute to and enhance the dynamic visual sequence of the Sussex/Mackenzie – Laurier/Allumettières section of Confederation Boulevard and provide an exceptional experience of progressively unfolding views.

VA3a. The new bridge design shall consider and enhance the experience of the spatial sequence of views that will gradually be revealed to bridge users, particularly pedestrians, moving through the bridge approaches and across the new bridge, in both directions, between the Sussex/Mackenzie Node and the Laurier/Allumettières Node.



Approaching and crossing the bridge from Gatineau to Ottawa.



5.0 Other NCC Standards & Requirements

Beyond the primary design performance criteria highlighted in this document, there are other design and technical factors that the design team will need to take into account during the development of bridge concept and detailed designs. Some of these are subject to current ongoing studies or processes, and NCC will provide updated approval requirements and performance criteria as they become available.



ON1. The design team shall consider various other design and technical factors, and any future updates to criteria contained herein, as specifically identified by the NCC through the pre-procurement and procurement phases.

ON1a. These include the following:

- **Indigenous Engagement;** ongoing efforts to understand and define community-driven planning processes that reflect Indigenous interests and circumstances, and to clarify ways in which Indigenous themes could be integrated into the bridge design.
- **Sustainability Targets and Strategies;** meet targets of latest versions of NCC Sustainable Development Strategy 2018-2023, Federal Sustainable Development Strategy 2019-2022, United Nations 2030 Agenda for Sustainable Development. Climate adaptation requirements may be added or modified based on the results of a Climate Vulnerability and Risk Assessment (CVRA).
- **Heritage Integration & Impact Mitigation;** analyses with respect to heritage impacts are underway, and recommendations regarding the handling of heritage materials and other mitigation measures are expected to be developed. These recommendations should be implemented through the project design phase.
- **NCC Custodian Stipulations;** detailed technical specifications related to future operations, inspection, maintenance, repair, replacement and access of bridge components and systems.

Appendix A—Selected Viewpoints

This section contains descriptions, photos (of the view, and sometimes of the viewpoint setting) as well as preliminary NCC GIS model views for each of the following viewpoints:

- **Viewpoint A:** On the Observation Deck/Belvedere at the South end of the Bridge.
- **Viewpoint B:** On the Nepean Point lookout.
- **Viewpoint NB:** On the new pedestrian bridge leading to Nepean Point.
- **Viewpoint C:** On Walkway at foot of the Rideau Canal Locks.
- **Viewpoint L:** On Confederation Boulevard at Sappers Bridge.
- **Viewpoint PH:** On Parliament Hill adjacent to Baldwin/Lafontaine Commemoration.
- **Viewpoint D:** On the riverside Recreational Trail below the Supreme Court escarpment.
- **Viewpoint K:** On Voyageurs Trail below the Museum of Canadian History.
- **Viewpoint Q:** On the eastern tip of Victoria Island.
- **Viewpoint H:** On the Ottawa River close to Hull Marina.
- **Viewpoint J:** On Voyageurs Trail 50m east of the Bridge.
- **Viewpoint N:** On the Riverbank in Parc Jacques Cartier.
- **Viewpoint I:** From proposed elevated event space in Parc Jacques Cartier.
- **Viewpoint M:** On Lady Grey Drive.
- **Viewpoint O:** On a boat mid-river on the up-stream side of the Bridge.
- **Viewpoint X:** On the west-side pedestrian/cycle deck of the Macdonald Cartier Bridge.



Viewpoint A: On the Observation Deck/Belvedere adjoining the south end of the Bridge

This prominent observation deck, cantilevered from the face of the escarpment, is designed to heighten the experience of being projected out and over the river. It provides spectacular views up the Rideau Canal locks and towards the tree-clad escarpment of Parliament Hill, capped by Parliamentary Library and the Centre Block. The panoramic view encompasses the entire Central Landscape visually bracketed by the bridge, seen to the right.


This vantage point provides an acute angular view of the entire bridge structure, from water level to top of superstructure, and clearly reveals its structural system. At this acute viewing angle, the bulk and opacity of the existing superstructure screens the middle-ground buildings in Gatineau, while lending a sense of enclosure to the central landscape and a strong backdrop to the pedestrian/cyclist boardwalk.






Viewpoint B: On the Nepean Point lookout

This vantage point, almost as high as Parliament Hill, provides a 360-degree panoramic view that encompasses the full grandeur of the Ottawa River, City of Gatineau, Hull Marina in the middle-ground, and the Gatineau Hills beyond. The bridge's structural configuration, layout and separations of the travel lanes are readily apparent from this birds-eye perspective. The Grand Hall of the Museum of Canadian History and its riverside position are revealed.



Viewpoint NB: On the New Pedestrian Bridge leading to Nepean Point


This new pedestrian bridge will provide an excellent vantage point for panoramic views of the river and the National symbols. It will provide an interesting “end-on” view looking down Confederation Boulevard/St. Patrick’s Escarpment towards the new bridge crossing. The bridge superstructure does not compete visually with the Nepean Point promontory.





Viewpoint C: On the walkway at the foot of the Rideau Canal Locks



This vantage point provides a river level view of the Gatineau shoreline and vegetated escarpment of Nepean Point. The bridge structure and the rocky vegetated riverbank merge to create an almost continuous frame to the picturesque riverside composition and a firm “bookend” to the Central Capital Landscape. The opening between the second bridge pier and the treed escarpment frames a glimpsing view into Hull Marina that heightens the sense of ‘here’ and ‘there’.



Viewpoint L: On Confederation Boulevard Esplanade at Sappers Bridge

This vantage point is similar to Viewpoint C, but at a much higher elevation. It overlooks the Rideau Canal Locks and is framed by trees and stone terraces on each side of the canal valley. The bridge structure appears heavy and opaque from this acute angular perspective.

The narrowly framed view below the bridge to Hull Marina and the backdrop of the Gatineau Hills gives a strong sense of continuity and containment. The bridge's alignment relative to other landmarks seems uncertain as it merges with the vegetation and the middle-ground buildings in Gatineau.







Viewpoint PH: On Parliament Hill adjacent to the Baldwin / Lafontaine Commemoration

The bridge is seen in the context of Major's Hill Park in the right foreground, the National Gallery, Nepean Point, and the Museum of Canadian History. The terrace below Major's Hill Park connecting with the bridge clearly shows the earlier railway bed alignment.

From here, the bridge's structural order is legible. It has sufficient substance visually to define a spatial edge to the central landscape without disturbing the obvious continuity of the river that seems to bend around Nepean Point. The southern half of the superstructure is approximately 50% transparent. The Gatineau Hills are a consistent backdrop that give a strong sense of orientation.







Viewpoint D: On the riverside Recreational Trail below the Supreme Court escarpment.

Almost perpendicular to the bridge, this view clearly shows the complete silhouette of the bridge superstructure. The features of the Gatineau shoreline are apparent, including the Hull Marina below and beyond the bridge. The superstructure of the bridge barely rises to the height of Nepean Point and maintains the ‘datum’ of vegetated landscape.

The view captures the full line-up of National Symbols along the Laurier/Sussex link of Confederation Boulevard—the Museum of Canadian History, Alexandra Bridge, Nepean Point and Champlain statue, the National Gallery (and spires of Notre-Dame Basilica), and the Parliamentary Library and the Centre Block above the forested escarpment of the Hill.



Viewpoint K: On Voyageurs Trail below the Museum of Canadian History

Similar to the riverside view from the other side of the river (Viewpoint D), the bridge is seen in almost true elevation across the open water. The continuity of the line of the bridge structure with the escarpment of Nepean Point and the silhouette of the Champlain statue and the National Gallery is clearly visible. The top chords of the bridge trusses have sufficient visual weight to be legible from a long distance.





Viewpoint Q: On the Eastern tip of Victoria Island

Views from this and other locations in the western part of the Central Capital Landscape, show the bridge in a supporting background position to the principal National Symbols—the Supreme Court and the Parliament Buildings each set on their escarpment promontories. Collectively, Major’s Hill, the National Gallery, Nepean Point, and Alexandra Bridge make a strong line of visual connection between Parliament Hill and the Gatineau shoreline. Examination of the bridge close-up reveals that the Macdonald Cartier Bridge, seen below the Alexandra Bridge, visually reinforces this line.








Viewpoint H: On the River close to the Wharf of Hull Marina

This vantage point provides an excellent close-up view of the piers and underside of the bridge silhouetted against the sky, with framed views below the bridge into the Central Capital Landscape, including parts of the Parliamentary Precinct and the Supreme Court.

The profile of Nepean Point and the Champlain statue are clearly visible with the bridge touching down midway on the escarpment face. The Great Hall of the National Gallery is visible above the tree line and there is a glimpse of the Chateau Laurier roofline and the Peace Tower seen through the Bridge superstructure.



The view of the Great Hall of the Museum of Canadian History is framed below the bridge but further visual access along the Gatineau shoreline is obscured by the bridge structure and vegetation. Opportunities for restructuring the landscape to frame and open-up views towards the Museum may be presented with the new bridge design.






Viewpoint J: On Voyageurs Trail pathway 50m east of the bridge

From the Gatineau shoreline in Parc Jacques Cartier, the bridge is experienced as an overhead structure with very obstructed views through and between the supporting columns and bracing.

There is a significant design opportunity here to enhance use of the covered space below the bridge, to frame views to the Central Capital Landscape, and to improve pedestrian and cyclist pathway experiences.




Viewpoint I: From proposed elevated event space in Parc Jacques Cartier.

From the proposed elevated event space in Parc Jacques Cartier, the bridge is part of the rich visual backdrop of the vegetated parkland. Seen in winter through the tracery of the deciduous tree canopy and the bridge superstructure, are National Symbols on both sides of the river extending from the National Gallery beyond Nepean Point in the east, to the Parliamentary Precinct, the Supreme Court and the undulating east wall of the Museum of Canadian History in the west.

In summer, the bridge and other landmark buildings/structures are glimpsed between and below the almost opaque tree canopies.


The orchestration of view sequences from the multi-use pathways through the park could become an important part of the park's re-design.





Viewpoint N: On the Riverbank of Parc Jacques Cartier

From the east side of the bridge, views to the Central Capital Landscape are generally through or over the bridge and because the structure is relatively open this can lead to both interesting, framed views and disappointing blocked views. From this viewpoint, which is some distance away from the bridge along the low-lying shoreline, views to the central landscape and the National Symbols are above the deck or through the veil-like structural members of the bridge. The higher towers and spires of Parliament Buildings can be seen above the bridge.



Viewpoint M: On Lady Grey Drive

Lady Grey Drive is envisaged to return to a key multi-use pathway connection and an important part of the riverside public realm. From this Viewpoint, the bridge is seen partly in silhouette against the sky and partly against the Museum of Canadian History with the skyline of downtown Gatineau beyond. From this perspective, the Alexandra Bridge appears to spring from behind Nepean Point. Victoria Island and the Portage Bridge are visible below its deck.






Viewpoint O: On a boat Mid-River on the up-stream side of the Bridge


From the River, the elegance and geometry of the bridge structure can be fully appreciated. The superstructure that seems heavy and ponderous when seen close-up—from Nepean Point for example—seems light and airy and very much in-scale with its setting from this riverboat perspective.

The slender line of the horizontal deck, the open trusses of above and below deck and the open balustrades are important contributors to this apparent lightness. By comparison, the Macdonald Cartier Bridge, seen down-river, appears much heavier because of the deck's deep shadow cast on its solid, concrete arches.

From this viewpoint, the landings of the bridge are obvious. At Nepean Point the bridge seems well-anchored into the vegetated cliff face and the terrace that previously supported the rail track. There is a visually clear and sympathetic distinction between the engineering artifact and the natural terrain.



The Gatineau landing is less distinguished. Beyond the waterline, there is a “value engineered” structure that pays little attention to the bridge’s under-side or to the potential for habitable riverside space. The current tree planting seems intended primarily to conceal the connection between land and bridge. The result below the bridge (see Viewpoint J) is “left-over space” that seems uncared for and unsafe. (One might have hoped for a third cantilever that would have allowed the bridge to ride clear over the riverside landscape—allowing bridge and landscape to remain distinct—until they meet in a more decisive way at the top of the slope).






Viewpoint X: On the west-side pedestrian/cycle deck of the Macdonald Cartier Bridge.

With an eye level similar to the deck of the Alexandra Bridge and an uninterrupted foreground, pedestrian views from the Macdonald Cartier Bridge reveal the entire anatomy of the Alexandra Bridge and its position within the larger urban/river landscape.

The width of the Ottawa River and the length of the bridge spans can be fully appreciated from this perspective. The less familiar façade of the National Gallery and the vegetated cliff-face of Nepean Point to the left (south) and the curving wings of the Museum of Canadian History to the right (north) visually anchor the ends of the bridge.



The entire superstructure of the bridge is seen against the panoramic backdrop of building masses of the two cities rising from the treed shorelines. In Ottawa, for much of the day when back-lighting is normal, the National Symbols visually join the overall building cluster of the downtown except where spires and towers of the Parliamentary Precinct poke through the irregular profile.



Appendix B—Guidance Statements

This section contains supplementary background information and context pertaining to each of the criteria statements presented in this document.

1.1 Heritage, Archaeology & Cultural Landscape

UD1. The new bridge design shall build upon the existing bridge's legacy by achieving its own distinctive stature, realized in a way that is sensitive to the unique heritage context of the Ottawa River Corridor Cultural Landscape.

Guidance

- The existing Alexandra Bridge was a marvel of engineering at the time of its conception and construction, being recognized worldwide for its innovative design at the beginning of the 20th century.
- The inshore portions of the Ottawa River-bed on the Québec and Ontario sides of the Alexandra Bridge are evaluated as having pre-contact and historical archaeological potential.
- The new bridge design concept shall be informed by the definition of the Ottawa River Corridor Cultural Landscape and its key components and underpinning ideas, as identified in the Definition and Assessment of Cultural Landscapes of Heritage Value on NCC Lands (2004) and the updated Cultural Landscape Assessment (approval date TBC).
- The Alexandra Bridge is located within the Ottawa River Corridor Cultural Landscape. It is also in close proximity to and has visual connections with the Parliament/Governance Cultural Landscape, Parliament Hill and the Rideau Canal National Historic Site.
- The value of the Ottawa River Corridor Cultural Landscape is connected to cultural ideas expressed by First Nations and the NCC and those associated with the region's history of settlement and development. The continuity of this cultural landscape is highly valued within NCC policies and by the public. The Alexandra Bridge is a key feature of the evolved cultural landscape with its approaches sensitively positioned to respect the geomorphology of the Ottawa River's shorelines and escarpments.
- Review the *Heritage Impact Analysis* and other heritage reports completed for Alexandra Bridge to understand the character-defining elements of the existing bridge and their collective contribution to the cultural landscape. A new bridge design shall consider recommendations provided through existing and forthcoming heritage reports and impact analyses, as well as the advice of expert panels on heritage matters, and implement these into the design where appropriate and feasible.

- Opportunities to pay tribute to the surrounding heritage shall be considered in the new design, potentially expressed in aspects such as materials, form, spatial organization, as well as interpretation offering visitors an enriching experience aimed at expanding their understanding of the region's evolution.
- Re-use of salvaged materials to create new elements (such as benches, steps, light columns, or a memory wall) and interpretive material could be an appropriate way to reinforce the memory of the existing structure and distinctiveness of the place.
- A detailed archaeological study shall be undertaken to identify all known archaeological resources and areas of pre-contact and historical archaeological potential to be avoided by project work, as well as to determine required remediation measures (e.g., rescue excavation and monitoring) for zones of archaeological sensitivity that cannot be avoided.
- An underwater archaeological survey shall be undertaken, comprising the submerged concrete piers of the existing bridge, and the riverbed within 30 to 50 metres of the two shorelines.
- New bridge construction activities shall protect the rich archaeological resources of the river and shoreline, with archaeological sites to be managed in collaboration with the Algonquin Nation and in accordance with the Protocol for the Co-management of Archaeological Resources, 2017 and Parks Canada's Cultural Resource Management Policy.

1.2 Indigenous Culture

UD2. The new bridge design shall acknowledge and integrate Indigenous culture and traditional knowledge in an appropriate and meaningful way.

Guidance

- The Algonquin Anishinabeg have been stewards of the Ottawa Valley since time immemorial, where their oral traditions tell the story of creation of the territory and waterways within it. The territories of the Algonquin Anishinabeg Nation cover the entire Kichi Sibi (Ottawa River) watershed from the headwaters to the St. Lawrence River. The Algonquin Anishinabeg Nation remain the host Indigenous nation in the National Capital Region.
- Potential opportunities to meaningfully acknowledge Algonquin territory and culture may include integration of sustainability values, stewardship of the natural environment; materials and aesthetic considerations; bridge naming; use of Algonquin language; and inclusion of artistic, interpretive, or commemorative elements. These opportunities will be identified and developed in collaboration with the Indigenous Partners on the project, per ongoing engagement activities.

1.3 Confederation Boulevard

UD3. As an important component of Confederation Boulevard's Ceremonial Route, the new bridge design shall reinforce the physical and symbolic continuity of the route, providing a cohesive connection between the City of Ottawa and the City of Gatineau as a unifying feature of the Capital Core Area to create a singular Capital identity.

Guidance

- Confederation Boulevard is a key feature of the Capital Core that is not only closely identified with the National Symbols, but also widely recognized as a destination in its own right. Alexandra Bridge is a national asset, integral to Confederation Boulevard and the new bridge will continue as a key link of the Confederation Boulevard Ceremonial route. Street intersections on either end of the bridge simultaneously function as gateways to and nodes of Confederation Boulevard.
- The NCC's Confederation Boulevard Guidelines, Management and Stewardship of Our Capital Legacy report defines the nature of Confederation Boulevard, and the major components that reinforce the image of a continuous circuit within the central capital landscape.

1.4 Natural Environment

UD4. The new bridge design shall showcase exemplary environmental conservation and mitigate potential negative impacts and threats, in order to avoid damage to vulnerable aspects of the river ecosystem, habitats and living organisms.

Guidance

- Riverfront lands, shoreline vegetation, and the river provide a rich and diverse ecological setting for the Alexandra Bridge, home to many species, including some species at risk. A variety of shoreline typologies are found along the approaches and adjacent areas of the river shoreline, from wooded rocky natural sites to landscaped park open spaces with expanses of manicured lawns, pathways, and cultural institutional buildings and spaces. Protection and improvement of these natural environmental components must be at the forefront of bridge design decisions.
- Consider how structural and design decisions, such as the placement, size and shape of piers and abutments will interact with the river and shorelines, and identify potential positive or negative impacts to the associated habitats.
- Leverage opportunities to integrate information from traditional Indigenous knowledge in the design of the bridge.
- Where possible, provide improvement in quality or size of habitat for local fauna and flora and consider the potential to create new habitat or restore habitat damaged through previous activity in the river. For example, consider opportunities to make improvements to the environment through:
 - Increased vegetation cover
 - Shoreline erosion control measures
 - Reduction in environmental contaminants
 - Creation of new fish, amphibian, bird or bat habitat

1.5 Climate & Microclimate

UD5. The bridge design shall be appropriate to the local climate of the Ottawa River Valley, and resilient to the anticipated impacts of future climate change and extreme weather events.

Guidance

- The Capital Region is located in a dynamic environment with a wide variety of seasonal meteorological events. Climate change over the next 100 years is likely to increase the intensity and frequency of atypical events. Bridge design must take into consideration the regional and local climate and be resilient to a climate future.
- Some bridge components are expected to last 125 years and hence, will be non-replaceable, mainly foundations, piers, elements of a single load path structure, deck, towers (if any); whereas other components such as coatings, railings, bearings, joints, etc., will need to be replaced during its service life.
- Consider how the peculiarities typical of all four seasons such as seasonal floods, heat waves, fall leaves, snow, high winds, tornados, and freeze/thaw cycles can be accommodated by the bridge design, and how impacts to maintenance can be mitigated.
- To implement criterion UD5d, mitigation (through the use of shading elements, wind barriers, etc.) of the following impacts should be considered to encourage active use of the bridge:
 - heat and high humidity on summer days,
 - cold and wind in winter and shoulder season days,
 - precipitation (rain and snow),
 - and variable surface conditions (wet, icy, gritty/salty) throughout the year.

Note: The prevailing winter winds are from the west, northwest, southwest and east. In the summer months, the prevailing winds tend to provide some cooling, but pedestrians are still very exposed to strong sun. In winter, the relatively mild and slower easterly winds generally deposit snow, but the colder, stronger westerly winds tend to redistribute it. The latter are therefore more significant in terms of wind-chill and snow accumulation. Bridge users will be very exposed to these prevailing winds moving up or down the river valley.

2.1 Mobility

PS1. Provide a functional design configuration for the bridge and its approaches that improves mobility and safety while prioritizing active modes, and allows for future conversion of the vehicular lanes to a dedicated light rail or tram transit system.

Guidance

- Many respondents from the first public consultation phase for the bridge replacement project remarked that the existing bridge is the safest active mobility crossing between Ottawa and Gatineau, as well as the shortest and most conveniently located route between the two downtown cores.
- The Alexandra Bridge is an important structure for the communities of Ottawa and Gatineau, both in terms of its function as an essential transportation link but also because of its iconic presence in the landscape and skyline of the two cities and the heritage of the region's development that it embodies.
- The pedestrian space, cycleway, and intersection upgrades shall adhere to the guidance and requirements established in the Capital Pathway Strategic Plan (2020).
- Allowing for future transit may have an impact on the road geometry on the bridge and at the Gatineau and Ottawa approaches, to be clarified in the preliminary design stage.
- Road traffic lanes and active transportation laneways shall have a closed deck system to protect the superstructure from the elements and dirt and de-icing products, contributing to a longer-lasting structure.

2.2 Public Space & User Experience

PS2. The new bridge design shall provide vibrant, high quality public space to accommodate a wide range of active and passive uses, ensuring amenity, convenience, and comfort for all users, especially pedestrians.

Guidance

- New public spaces should include viewing and seating areas that are accessible and of high quality, with consideration for:
 - Creation of unencumbered sightlines to the National Symbols,
 - Minimizing impact of railings and barriers on views,
 - High-quality furnishings with minimal maintenance requirements,
 - Integration of public art or interpretive elements,
 - Lighting for functional and aesthetic quality, and
 - Protection from inclement weather.
- Areas immediately adjoining and under the bridge should also be considered as opportunities to extend the overall public space design for the project.
- Signage on the new bridge shall contribute to the beauty, quality and uniqueness of Canada's Capital Region, and incorporate recommendations from the NCC's Signage Design Guidelines, 2012.
- Wayfinding; the new bridge design shall incorporate a wayfinding system that seamlessly merges with the remainder of Confederation Boulevard and follows the direction given in the Capital Pathway Strategic Plan 2020, and other applicable NCC design standards.
- Interpretive Material; innovative technologies and strategies shall be considered to provide interpretive information. These may be integral to the structure itself and/or explore other senses to create a truly interactive experience. Potential interpretive material topics shall be defined by the Department of Canadian Heritage and the NCC, with final review and approval by Canadian Heritage required.
- Interpretive layers are especially effective when they respond to the bridge's context and explain the history of the setting in a way that educates onlookers, and makes people see it and appreciate it in a new light.
- If traditional interpretive panels are proposed, these should be designed to reinforce the character of the place and reflect the distinctive quality of the ceremonial route along Confederation Boulevard.

- Crime Prevention Through Environmental Design; bridge design should consider CPTED techniques to encourage open sightlines and safe behaviour, and avoid concealed areas and unsafe situations. Utilize thoughtful design to mitigate health and safety risks, including carefully considered location and design of secondary elements such as benches, bicycle racks or interpretation panels, to avoid the need for excessive and highly visible security and safety infrastructure.
- Where it is essential, security infrastructure shall be integrated into the bridge design to avoid retrofits or incompatible additions. Any infrastructure for new technologies shall not detract from the primacy of surrounding heritage landmarks, the natural landscape, or the user experience of the new structure.
- Signage to regulate behaviour and guide users should be kept to a minimum through the use of intuitive design e.g., use of materiality, grade changes, physical barriers, or urban furniture to guide users to the appropriate corridors and safe spaces, and alert them to potential dangers or need for increased attention.
- Hazards; consider in advance potential hazards presented by the bridge (e.g., falling ice or snow, potential for boat collisions with bridge piers etc.) and design integrated solutions to eliminate the hazards, so as to avoid future highly visible add-on features (such as anti-climb structures or pier protection devices) and/or additional maintenance requirements such as de-icing that could result in temporary bridge closures.

2.3 Shoreline Connectivity

PS3. The approaches at the ends of the new bridge shall provide enhanced connectivity for pedestrians and cyclists to pathway networks and shoreline amenities.

Guidance

- The Alexandra Bridge is a key connection of the NCC's Capital Pathway network, linking major Capital spaces and recreational networks on both sides of the river.
- Design for the active lanes must consider the variety of access routes users will take, including connections from the Capital Pathway network, municipal bike routes and roads, as well as walking through parks and other public property. Walking distance should be minimized where possible and crossing of vehicular lanes avoided.
- Where possible, the bridge design and active mode approach should contribute to resolving the difference in elevation between the shoreline pathways and the bridge deck to enable smooth and accessible movement from the Capital Pathway network onto the bridge.
- Three major south shoreline redevelopment projects which should be considered in the design of the bridge approach on the Ottawa side are: (1) Nepean Point Redevelopment; (2) Park Masterplan for Major's Hill Park; and (3) Rideau Canal to Rideau Falls Waterfront Promenade—NCC's long term vision to create a new, multi-use promenade on the Ottawa side to connect existing public spaces overlooking the Ottawa River.
- The design of the new bridge shall consider and complement the current redesign for Nepean Point, which includes a new pedestrian bridge (vertical clearance height of 5.3 metres) over St. Patrick's Street, linking Nepean Point to Major's Hill Park.

2.4 Universal Accessibility & Inclusivity

PS4. The new bridge and its approaches shall be universally accessible, with special attention paid to ensure all users feel welcomed, comfortable, and safe, and able to engage with the public spaces dedicated to pedestrians and active mobility.

Guidance

- Consider the needs and experiences of all types of users, including people using mobility aids, people with visual or auditory impairments, people with learning disabilities and those who are neurodiverse.
- Furnishings and required dedicated elements related to universal access shall be seamlessly integrated into the overall design and materiality of the bridge.
- Surface materials for active user areas shall meet the accessibility criteria according to CSA B651-12, Accessible Design for the Built Environment, and the Accessibility Design Standards (Ottawa, 2015).

3.1 General Arrangement

BE1. The general arrangement of the new bridge shall present a clear and logical design response to structural type, plan alignment, vertical profile, cross section configuration, pier locations, navigation requirements and other specific technical aspects.

Guidance

- The general arrangement of the bridge shall consider the unique characteristics of the topography, riverbed, and geological conditions of the site, including the existing topographical elevation change between the Ottawa and Gatineau shorelines.
- Integration of optimal bridge spans, given river bathymetry and navigation requirements, along with the potential desire to limit aerial structural heights may affect bridge type selection. Under the Canadian Navigable Waters Act (RSC 1985, c.N-22), Transport Canada is responsible for protecting vessel navigation in navigable waters.
- Existing geological conditions have the six central river-based piers of the Alexandra Bridge sitting directly on bedrock as is the abutment on the Ottawa side, whereas the abutment and piles on the Gatineau shore are buried and stabilized within the overburden soil.

3.2 Visual Form & Image

BE2. The new bridge shall achieve a unique signature design that fits within, and enhances, the built and natural heritage setting of the Capital's Core Area, now and into the future.

Guidance

- The part of the river-centred landscape space which includes the principal nationally symbolic buildings, book-ended by the Portage and Alexandra Bridges, and framed by the central Ring of Confederation Boulevard and the built-up edges of the cities—Gatineau and Ottawa—is referred to as the Central Capital Landscape. It is a complex composition of buildings, topographic features, vegetation and interlocking public spaces. Its component parts, both singularly and in their compositional contexts, are of great symbolic, aesthetic and economic value. They are to be protected, through positive interventions and through the control of potentially damaging intrusions.
- The design expression should not seek to visually compete with the presence and primacy of national symbols but more to respectfully “complete the panorama” and continue the story being told by Confederation Boulevard’s Ceremonial Route.
- Design development shall consider what bridge form and expression is appropriate to become the new backdrop for the continued evolution of the natural and urban capital cultural landscape, a new national landmark and a reflection of our national identity.
- The new bridge will celebrate the legacy of the Alexandra Bridge through the means of exceptional design that responds to current and future demands, while ensuring that the crossing of the Ottawa River remains a visually breathtaking experience, providing opportunities for pause and enjoyment, and a journey through the natural, historical, and cultural landscape of Canada’s Capital Region.
- Opportunities to view the bridge silhouette from above and afar, such as from the higher elevation at Nepean Point or from Plaza Bridge, as well as from below, such as from the shorelines and Parc Jacques Cartier, must also be considered during the design development.

- The bridge design should consider the opportunity to express the rich identity built over centuries by the Indigenous people of this territory, and the successive waves of immigrants who chose Canada as a place to live. Canadian identity and values can be represented through the following themes:
 - Canada as a welcoming land
 - Freedom of expression
 - Respect for diversity
 - Reconciliation
 - Creativity and innovation
 - Environmental stewardship

3.3 Design Excellence

BE3. The architectural and structural design of the new bridge shall aim at the highest industry standard levels of design excellence and visual quality.

Guidance

- The new bridge will feature prominently at the centre of the Capital for the next hundred years—the design needs to stand up over time, to become an impressive symbol and revered landmark in the identity of the region.

3.4 Materials & Finishes

BE4. The new bridge design shall incorporate high quality materials and finishes that showcase leading-edge technology and resonate with the palette established for Confederation Boulevard and the built heritage of the Nation's capital.

Guidance

- The new structure should strive for sustainable design and material selection excellence, to become a model project for sustainable infrastructure design.
- The colour palette of the existing bridge (grey and green) is complementary to the landscape and capital landmarks. New bridge designs should consider and if necessary, reinterpret the materiality of the architectural context in ways that complement the richness of textures and tones within the existing landscape.
- Priority will be given to materials and products with a reduced environmental footprint from recycled or local sources. Materials shall be highly durable, ideally recyclable and consider life cycle assessment and cost over 125 years or more, including impacts on long-term maintenance and repair requirements.
- Ensure the incorporation of appropriate anti-corrosion and anti-graffiti coatings for susceptible materials as required.
- Consider incorporation of carefully removed demolition materials in the new design for such elements as walls, stairs, benches, memory wall, interpretive elements, etc.
- Small yet important functional components and details of bridge design such as handrails, lighting components, and guard-rails shall be conceived as an integral part of the overall design; custom designs may be required, while balancing the need to avoid overly onerous specialized operation or maintenance requirements.
- Natural stone should be considered where the bridge meets the landscape: slope treatments at abutments, pier surrounds at grade, terracing opportunities, drainage swales, etc.
- Consideration shall be given to utilizing lighter neutral colour tones in order to maximize visual lightness of the new structure, and not compete visually with the natural sky-water-land colours and textures within the surrounding landscape.

- Colour and texture contrast of different materials shall be used strategically, for example to clearly indicate differences between bicycle and pedestrian paths.
- Surface paving materials for bridge roadways and active transportation routes and materials for retaining walls, edge protection, stairs, landings, ramps, handrails, furniture, signage and lighting shall consider effects of temperature, sunlight, wind, ease of maintenance, cost and impacts to users in terms of tactile, auditory and visual experience.

3.5 Lighting

BE5. The new bridge design shall provide a high-quality lighting scheme that responds appropriately to the site and surrounding context, and allows the crossing to be used and enjoyed by people at all hours throughout the year.

Guidance

- Lighting in the core area is governed by the Capital Illumination Plan, 2017–2027, which defines lighting strategies to enhance the nighttime landscape of the Central Capital Landscape Sector, which includes Confederation Boulevard.
- Consider architectural illumination as a complementary layer that highlights the bridge’s architectural expression rather than overbearing it, focuses on the interior structure above the deck, and minimizes lighting below the bridge.
- Functional road lighting and the lighting treatment of architectural elements should favour and embellish the bridge’s design (in terms of safety, aesthetics, enhancements) while reducing the impact on the river, vegetation, and local wildlife species, especially birds, by implementing current best practices and standards, including CSA A460:19, bird-friendly building design.
- Amber or warm white tones are preferred to reduce impacts on the river and native wildlife.
- Creative solutions should allow for flexibility in usage, permitting selective use of colour in addition to ephemeral lighting themes to be integrated into the bridge during national holidays, special events and seasonal festivities; consider temporary high-quality, artistic lighting projects in addition to permanent illumination.

4.1 Views Protection

VA1. The new bridge design shall preserve the visual integrity and symbolic primacy of the Parliament Buildings and other National Symbols, when viewed from the bridge, in accordance with Canada's Capital Views Protection (2007) document.

Guidance

- Views Protection policies have been established by both the National Capital Commission and the City of Ottawa to safeguard the silhouette and the foreground of views of the National Symbols. (Reference: Canada's Capital Views Protection Plan, NCC, Jan. 2007).
- As outlined in the Plan, protection and enhancement of views of the National Symbols encompass two basic parts of viewsheds: the foreground and the background. Foreground controls relate primarily to visual openness. Background controls relate primarily to visibility of a clear silhouette. While Background controls are fully defined in the Plan, measures to protect foregrounds are developed through sub-areas studies, conducted in response to specific building and landscape development proposals as they are initiated. Such is the case with the Alexandra Bridge replacement project and thus standards for the protection of the foreground of views from the Bridge will be determined through ongoing visual analyses.
- Viewpoint #6 is located at the top of the existing ramp of the bridge boardwalk in Gatineau and is a background height "Control Viewpoint".
- Section 4 of Canada's Capital Views Protection Plan outlines the methodology for calculating the view-protection measures and the Alexandra Bridge Replacement, Planning & Design Principles provides further guidance on Views Protection and Viewpoints in 4.4.2 Visual Integrity and 4.4.3 Protect Control Viewpoint #6.
- The new bridge will create opportunities for interesting new views to be experienced, while also being mindful and respectful of the sequence of existing protected views, cultural landscapes and the built environment.
- Consideration should be given to potential visual impacts, both negative and positive, including additional opportunities afforded by the new bridge design for viewing the national symbolic buildings and building/landscape compositions within the Central Capital Landscape.

- Accurately compare views from the new bridge with views from the existing bridge to assess the extent and nature of visual impacts in the foreground areas as identified in NCC's Canada's Capital Views Protection Plan, 2007.
- Both single-frame and panoramic views from the new bridge should be considered for the purpose of evaluating foreground views protection of the National Symbols.

4.2 Views towards the Bridge

VA2. The new bridge design shall be visually integrated within the Central Capital Landscape and enable exceptional views of the natural features and National Symbols in the area.

Guidance

- The assessment of alternative bridge designs and their compatible integration with the Central Capital Landscape should be based on rendered views generated from the above pre-selected viewpoints, chosen to capture the various dimensions of the bridge as seen from different places in the public realm and to provide a common ground for comparison.
- Several of the above viewpoints are also Key Viewpoints (noted KV) established in NCC's Views Protection Plan; others have been included in preparatory bridge replacement studies. These include Viewpoint A (KV#9), Viewpoint B (KV#4) and Viewpoint K (KV#11).
- Assess the bridge's potential for enhancing the broad compositional qualities of the Central Capital Landscape and other areas of the river-related landscape in terms of the bridge configuration, scale, visual massing, height, silhouette, etc.
- The new bridge shall not dominate the Central Capital Landscape or usurp the primacy of the National Symbols. It shall meet the criteria established in section 3.0 Bridge Expression.
- The precise location of the above viewpoints should be geo-referenced in advance of photography and preparation of digital modelling to ensure compatibility of images from different sources.
- Additional viewpoints may also be established for consideration of specific design issues, requiring visual analysis of specific aspects of bridge design in relation to particular characteristics of the site. For example, detailed design studies of the bridge's integration with the escarpment and riverbank on the Ottawa and Gatineau sides of the river, or the detailed design of the underside of the bridge in relation to boaters on the river or pedestrians on existing and proposed riverside recreational trails passing below the bridge.

- Computer generated models should be developed to realistically visualize alternative bridge designs and approaches. Visualizations from selected viewpoints will provide a consistent basis for comparison with the existing bridge and alternative designs. Where panoramic views are required to demonstrate the bridge in its broader landscape setting, true panoramic ‘pans’ should be provided rather than wide-angle lens images, which give a very distorted and deceptively “stretched” version of what the human eye actually sees.


4.3 Spatial Sequence

VA3. The new bridge shall be designed to contribute to and enhance the dynamic visual sequence of the Sussex/Mackenzie – Laurier/Allumettières section of Confederation Boulevard and provide an exceptional experience of progressively unfolding views.

Guidance

- It should be recognized that the route between Sussex/Mackenzie Node and Laurier/Allumettières Node is an important link in the chain of Confederation Boulevard that was built simultaneously with the National Gallery and the Museum of Canadian History. As an episodic 1.2 kilometre journey, it is a particularly rich visual experience of varying spaces and prospects. The public consultation process and professional studies have identified that the visual and experiential attributes of the existing bridge are highly valued.
- The new bridge design shall build upon spatial qualities of the existing bridge to achieve an articulated, yet seamless progression of spatial experiences integrated with the rest of Confederation Boulevard.
- In order to demonstrate the spatial progression, serial visualizations should be prepared, that capture the dynamic nature of pedestrians' movement and their visual/spatial experiences as they cross the bridge and progress along the Grand Esplanade between the Nodes. Movement in both north to south and south to north directions shall be simulated.
- The urban design intention for requiring a more 'intimate' spatial sequence is to ensure that alternative bridge designs fully consider and 'empathize' with the 'person on the boulevard' and capture the sense of 'being there'.
- From the perspective of the pedestrian realm of the existing bridge, making the crossing is pleasurable as well as convenient. It is filled with sensory stimuli. The bridge's wooden boardwalk and the heavy steel triangulated superstructure create a distinct sense of place with an obvious historical lineage. The boardwalk offers spectacular panoramic views towards the river shorelines, the Gatineau Hills and the up-river horizon. The panoramas encompass the forested, steeply sloped escarpments on the Ottawa side capped by Canada's most symbolically important buildings—the Parliamentary Triad and the Supreme Court, beyond the Islands, a hint of Chaudière Falls below the Portage Bridge that connects to the gently sloping Gatineau shoreline and on to the Museum of Canadian History.

- Analyses of the visual and material attributes of the existing bridge will provide the 'datum' or 'base case' for reviewing and evaluating alternative new bridge design elements. Significant changes and improvements in comparison with the existing bridge, should be fully documented to facilitate assessment.
- Consider the enhancement of the pedestrian realm in terms of pedestrian/ cyclist comfort and sensory, experiential qualities of the bridge, e.g., tactile qualities of materials and details, weather protection measures and/or seasonal adaptations, special viewing or spectator opportunities, infrastructure to support special celebratory events, auditory experience, etc.
- The eye level of all simulated pedestrian views shall not exceed 1.80 metres above the ground/deck level. Lower eye levels should also be tested particularly at 'lookout' places, in consideration of the multiplicity of users.
- Priority should be given to the pedestrian experience but the visual, spatial experiences for cyclists and vehicle driver/passenger users of the route should also be analyzed and compared with existing bridge experiences.
- While the full range of sensory experiences cannot be fully simulated nor assessed in advance of implementation, the visual characteristics of alternative new bridge designs can be anticipated and visualized through computerized simulations. Such tools should be used to advantage; both to support and inform the design process, as well as facilitating comprehensive assessment by design professional peer groups and public audiences.
- The bridge design should stimulate and be pleasing to the other senses, beyond the visual, wherever possible, to expand and improve the holistic sensory experience and to be inclusive of people of all abilities.
- Recommended design modifications to existing bridge approach routes and connections to the Nodes as part of design explorations of the Confederation Boulevard spatial sequence will be encouraged. However, since no commitment has been made at this time to implement such modifications, alternative bridge designs should not be dependent on such design modifications that are beyond the immediate contract.

 Key evaluation criteria for comparing different options at the concept design stage.

1.0 Urban Design Framework				✓
1.1 Heritage, Archaeology & Cultural Landscape	UD1	UD1a	Visual Integrity	
		UD1b	Central Capital Landscape	
		UD1c	Re-use of Materials	
		UD1d	Integrate with Shoreline	
		UD1e	Protect Archaeological Resources	
		UD1f	Manage Archaeological Resources	
1.2 Indigenous Culture	UD2	UD2a	Indigenous Perspectives	
1.3 Confederation Boulevard	UD3	UD3a	Confed Blvd Guiding Principles	
		UD3b	Grand Esplanade	
		UD3c	Streetscape Elements	
		UD3d	Laurier/Allumettieres Node	
1.4 Natural Environment	UD4	UD4a	Ottawa River Corridor	
		UD4b	Species Inventory & Habitat	
		UD4c	Native Vegetation	
1.5 Climate & Microclimate	UD5	UD5a	Designed to Last 125 Years	
		UD5b	Withstand Storm Events	
		UD5c	Impacts during Storm Events	
		UD5d	Sustainable Solutions	
		UD5e	Moderate Microclimate Extremes	

2.0 Public Space				✓
2.1 Mobility	PS1	PS1a	Active Mobility	
		PS1b	Pedestrian Through-Route	
		PS1c	Bi-Directional Cycleway	
		PS1d	Roadway	
		PS1e	Laurier/Allumettieres Intersection	
2.2 Public Space & User Experience	PS2	PS2a	Public Space Amenity	
		PS2b	Supplementary Design Elements	
		PS2c	Integrate Infrastructure	
		PS2d	Boast User Experience	
2.3 Shoreline Connectivity	PS3	PS3a	New Pathways	
		PS3b	North Abutment	
		PS3c	South Abutment	
		PS3d	Shoreline Pathway Landscape	
2.4 Universal Accessibility & Inclusivity	PS4	PS4a	Universal Access	
		PS4b	Regulation Compliance	

3.0 Bridge Expression				✓
3.1 General Arrangement	BE1	BE1a	Plan Configuration	
		BE1b	Elevation	
		BE1c	Cross Section	
		BE1d	Navigation Channel	
3.2 Visual Form & Image	BE2	BE2a	Legacy & Landmark	
		BE2b	Unique and Meaningful	
		BE2c	Respond to Place	
		BE2d	In-Scale with Surroundings	
		BE2e	Viewing Experience	
3.3 Design Excellence	BE3	BE3a	Excellence	
		BE3b	Timeless Visual Effect	
		BE3c	Bridge Detailing	
		BE3d	Secondary Elements	
		BE3e	Crash-Tested Barriers	
		BE3f	Abutments	
3.4 Materials & Finishes	BE4	BE4a	Honour Capital Palette	
		BE4b	Materials & Finishes	
3.5 Lighting	BE5	BE5a	Integrate within Landscape	
		BE5b	New Lighting Aesthetics	
		BE5c	Light Fixture Performance	

4.0 Views & Visual Experience				✓
4.1 Views Protection	VA1	VA1a	Viewpoint #6	
		VA1b	Preserve Viewsheds	
		VA1c	Minimize Visual Intrusions	
4.2 Views towards the Bridge	VA2	VA2a	Selected Viewpoints	
4.3 Spatial Sequence	VA3	VA3a	Enhanced Spatial Sequence	
5.0 Other NCC Standards & Requirements				
	ON1	ON1a	Criteria Updates/Other Factors	



NATIONAL CAPITAL COMMISSION
COMMISSION DE LA CAPITALE NATIONALE

Canada